

according to Regulation (EC) No 1907/2006

EHRLE WheelCleaner RC

Revision date: 16.06.2020

Product code: c1610_sd

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

EHRLE WheelCleaner RC

```
UFI:
```

PFJ0-W0VN-3006-3SQ4

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Product for professional cleaning and maintenance

1.3. Details of the supplier of the safety data sheet

Company name:	EHRLE GmbH	
Street:	Industriestraße 3	
Place:	D-89165 Dietenheim	
Telephone:	07303 1600 0	Telefax:07303 1600 60
e-mail:	info@ehrle.com	
1.4. Emergency telephone	+49 7303-160016	
and the second sec		

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Skin corrosion/irritation: Skin Corr. 1B Hazard Statements: Causes severe skin burns and eye damage.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling Sodium Hydroxide

Signal word:

Pictograms:



Danger

Hazard statements

H314

Causes severe skin burns and eye damage.

Precautionary statements

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
	present and easy to do. Continue rinsing.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



according to Regulation (EC) No 1907/2006

EHRLE WheelCleaner RC

Revision date: 16.06.2020

Product code: c1610_sd

Page 2 of 8

Chemical characterization

according to 648/2004/CE: nonionic surfactants <5%, anionic surfactants 5-15%, phosphonates <5%, alkalis, complexing agents, solubilizers, corrosion inhibitors, dyes

Hazardous components

CAS No	Chemical name		Quantity	
	EC No	Index No	REACH No	
	GHS Classification		•	
68439-57-6	Olefinsulfonate-Na-salt			5 - < 10 %
	270-407-8		01-2119513401-57	
	Skin Irrit. 2, Eye Irrit. 2; H	315 H319	·	
1310-73-2	Sodium hydroxide			1 - < 5 %
	215-185-5	011-002-00-6	02-2119752469-26	
	Skin Corr. 1A; H314		· · · · · · · · · · · · · · · · · · ·	

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Avoid contact with skin and eyes.

After inhalation

not hazardous by inhalation

After contact with skin

Wash off immediately with soap and plenty of water. Take off all contaminated clothing immediately.

After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists, consult a specialist.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. If swallowed, seek medical advice immediately and show this container or label.

4.2. Most important symptoms and effects, both acute and delayed

This information is not available.

4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor in attendance.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Any extinguishing means and measures are acceptable.

5.2. Special hazards arising from the substance or mixture

This information is not available.

5.3. Advice for firefighters

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing.

according to Regulation (EC) No 1907/2006

EHRLE WheelCleaner RC

Revision date: 16.06.2020

Product code: c1610_sd

Page 3 of 8

6.2. Environmental precautions

Do not flush into surface water.

6.3. Methods and material for containment and cleaning up

Wipe up with absorbent material (e.g. cloth, fleece). Flush with plenty of water. Never return spills in original containers for re-use.

6.4. Reference to other sections

Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes.

Advice on protection against fire and explosion

No special protective measures against fire required.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store at room temperature in the original container. Store in a place accessible by authorized persons only.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Do not store near acids.

Further information on storage conditions

Keep container tightly closed.

Never return unused material to storage receptacle.

7.3. Specific end use(s)

This information is not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	WEL

8.2. Exposure controls

Appropriate engineering controls

Not required.

Protective and hygiene measures

General industrial hygiene practice.

Eye/face protection

Safety glasses with side-shields conforming to EN166

Hand protection

Protective gloves

Recommendation: Nitrile gloves with a coating thickness of 0.4 mm which protect at least 8 hours (corresponds to the permeability level 6 of the European norm DIN/EN 374) and provide a resistance to swelling of < 15%.

Skin protection

Wear suitable protective clothing.

Respiratory protection

Not required

according to Regulation (EC) No 1907/2006

EHRLE WheelCleaner RC

Revision date: 16.06.2020

Product code: c1610_sd

Page 4 of 8

Environmental exposure controls

Handle in accordance with good industrial hygiene and safety practice.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour:	liquid		
Odour:	yellow-green characteristic		
			Test method
pH-Value (at 20 °C):		> 13,5	K-QP1012C
Changes in the physical state			
Melting point:		<0 °C	
Initial boiling point and boiling range	e:	>98 °C	
Sublimation point:		not applicable	
Softening point:		not applicable	
Pour point:		not applicable	
Flash point:		>100 °C	
Flammability			
Solid:		not applicable	
Gas:		not applicable	
Explosive properties Not explosive			
Lower explosion limits:		not applicable	
Upper explosion limits:		not applicable	
Ignition temperature:		not applicable	
Auto-ignition temperature			
Solid:		not applicable	
Gas:		not applicable	
Decomposition temperature:		not determined	
Oxidizing properties Not relevant			
Vapour pressure:		not determined	
Density (at 20 °C):		1,16 g/cm ³	K-QP1012E
Water solubility: (at 20 °C)		completely miscible	
Solubility in other solvents not determined			
Partition coefficient:		not determined	
Viscosity / dynamic:		not determined	
Viscosity / kinematic:		not determined	
Flow time:		not determined	
Vapour density:		not determined	
Evaporation rate:		not determined	
. Other information			
Solid content:		not determined	



according to Regulation (EC) No 1907/2006

EHRLE WheelCleaner RC

Revision date: 16.06.2020

Product code: c1610_sd

Page 5 of 8

SECTION 10: Stability and reactivity

10.1. Reactivity

This information is not available.

10.2. Chemical stability

This information is not available.

10.3. Possibility of hazardous reactions

This information is not available.

10.4. Conditions to avoid

Do not expose to temperatures above 35 °C.

10.5. Incompatible materials

This information is not available.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

Further information

Do not mix with other detergents or chemicals.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Causes severe skin burns and eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

Health injuries are not known or expected under normal use.

SECTION 12: Ecological information

12.1. Toxicity

No data is available on the product itself.

12.2. Persistence and degradability

The surfactants in the product meet all requirements of the detergents regulation 648/2004/EC.

12.3. Bioaccumulative potential

This information is not available.

12.4. Mobility in soil

This information is not available.

12.5. Results of PBT and vPvB assessment

This information is not available.



according to Regulation (EC) No 1907/2006

EHRLE WheelCleaner RC

Revision date: 16.06.2020

Product code: c1610_sd

Page 6 of 8

12.6. Other adverse effects

This information is not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

070699

Disposal recommendations

Do not dispose of waste into sewer.

List of Wastes Code - residues/unused products

WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

List of Wastes Code - used product

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Contaminated packaging

Clean container with water. Return cleaned containers to the company for recycling. Offer rinsed packaging material to local recycling facilities.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>	UN 1824
14.2. UN proper shipping name:	SODIUM HYDROXIDE SOLUTION
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Classification code:	C5
Limited quantity:	5 L
Excepted quantity:	E1
Transport category: Hazard No:	3
Hazard No: Tunnel restriction code:	80 F
	E
Inland waterways transport (ADN)	
<u>14.1. UN number:</u>	UN 1824
14.2. UN proper shipping name:	SODIUM HYDROXIDE SOLUTION
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Classification code:	C5
Limited quantity:	5 L
Excepted quantity:	E1
Marine transport (IMDG)	
14.1. UN number:	UN 1824



according to Regulation (EC) No 1907/2006

	EHRLE WheelCleaner RC	
Revision date: 16.06.2020	Product code: c1610_sd	Page 7 of 8
14.2. UN proper shipping name:	SODIUM HYDROXIDE, SOLUTION	
14.3. Transport hazard class(es):	8	
14.4. Packing group:	III	
Hazard label:	8	
	8	
Special Provisions:	223	
Limited quantity:	5 L	
Excepted quantity:		
EmS: Segregation group:	F-A, S-B alkalis	
<u>14.5. Environmental hazards</u>		
ENVIRONMENTALLY HAZARDOUS:	no	
14.6. Special precautions for user		
Not required		
14.7. Transport in bulk according to Annex	II of Marpol and the IBC Code	
not applicable		
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regi	<u>llations/legislation specific for the substance or mixture</u>	
National regulatory information		
Water hazard class (D):	2 - obviously hazardous to water	
	z - obviously hazardous to water	
15.2. Chemical safety assessment		
- -	stances in this mixture were not carried out.	
SECTION 16: Other information		
Abbreviations and acronyms		
ADR: Accord européen sur le transpo	rt des marchandises dangereuses par Route	
	International Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code fo	•	
IATA: International Air Transport Asso	clation f Classification and Labelling of Chemicals	
	ing Commercial Chemical Substances	
ELINCS: European List of Notified Ch		
CAS: Chemical Abstracts Service		
LC50: Lethal concentration, 50%		
LD50: Lethal dose, 50%	koging	
CLP: Classification, labelling and Pac REACH: Registration, Evaluation and		
-	f Classification, Labelling and Packaging of Chemicals	
UN: United Nations		
DNEL: Derived No Effect Level		
DMEL: Derived Minimal Effect Level		
PNEC: Predicted No Effect Concentra ATE: Acute toxicity estimate		
LL50: Lethal loading, 50%		
EL50: Effect loading, 50%		
EC50: Effective Concentration 50%		
ErC50: Effective Concentration 50%,	growth rate	



according to Regulation (EC) No 1907/2006

EHRLE WheelCleaner RC

Revision date: 16.06.2020

Product code: c1610_sd

Page 8 of 8

NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	ation Classification procedure	
Skin Corr. 1B; H314 Calculation method		
Relevant H and El	JH statements (number and full text)	
H314	H314 Causes severe skin burns and eye damage.	
H315	H315 Causes skin irritation.	
H319	Causes serious eye irritation.	

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)